

To setup a field with multiple choice on the section page perform the following steps:

1. Declare the 'MultiChoiceMixin' mixin in dependencies.
2. Add the attribute where selected values will be stored.
3. Add the 'MultiChoiceMixin' mixin.
4. Initialize the 'MultiChoiceMixin' mixin.
5. Declare a configuration to bind a main object to a related object where selected values will be stored:
 - a. mainEntitySchemaName – a related object where selected records are stored.
 - b. mainColumnName – a column of a related object that links to a main object.
 - c. relatedEntitySchemaName – an object of values for selection.
 - d. relatedColumnName – a column of a related object that links to an object of values for selection.
6. Add a control to diff:
 - a. Specify className = Terrasoft.MultiChoiceCombobox.
 - b. Name and bindTo – must match the attribute name.
 - c. Set resource binding for caption labelConfig.

An example of multiple choice field setup “Activity participants display on the activity page”:

```
1 define("ActivityPageV2", ["MultiChoiceMixin"],  
2   function(){  
3     return {  
4       attributes:{  
5         "UsrParticipants":{  
6           "dataValueType":Terrasoft.DataValueType.LOOKUP  
7         }  
8       },  
9       mixins:{  
10        MultiChoiceMixin: "Terrasoft.MultiChoiceMixin"  
11      },  
12      methods:{  
13        init: function(){  
14          this.callParent(arguments);  
15          this.mixins.MultiChoiceMixin.init(this, arguments);  
16        },  
17      },  
18      getMultiChoiceEntitiesConfig: function(){  
19        const items = {  
20          UsrParticipants:{  
21            mainEntitySchemaName: "ActivityParticipant",  
22            mainColumnName: "Activity",  
23            relatedEntitySchemaName: "Contact",  
24            relatedColumnName: "Participant"  
25          }  
26        };  
27        return items;  
28      },  
29    },  
30  },  
31  diff: /**SCHEMA DIFF*/  
32  {  
33    "operation": "insert",  
34    "parentName": "Header",  
35    "propertyName": "items",  
36    "name": "UsrParticipants",  
37    "values": {  
38      "className": "Terrasoft.MultiChoiceCombobox",  
39      "bindTo": "UsrParticipants",  
40      "dataValueType": Terrasoft.DataValueType.ENUM,  
41      "layout": {"column": 0, "row": 5},  
42      "labelConfig": {  
43        "caption": "Select participants"  
44      }  
45    }  
46  },  
47  /**SCHEMA DIFF*/  
48};  
49});  
50
```

The diagram uses red boxes and numbers to highlight specific parts of the code. Number 1 highlights the 'MultiChoiceMixin' dependency in the first line. Number 2 highlights the 'UsrParticipants' attribute definition. Number 3 highlights the 'MultiChoiceMixin' mixin declaration. Number 4 highlights the 'init' method. Number 5 highlights the 'getMultiChoiceEntitiesConfig' function. Number 6 highlights the configuration object within the 'diff' block.

An example code of multiple choice field setup “Activity participants display on the activity page”:

```
define("ActivityPageV2", ["MultiChoiceMixin"],  
function() {  
    return {  
        attributes: {  
            "UsrParticipants": {  
                "dataValueType": Terrasoft.DataValueType.LOOKUP  
            }  
        },  
        mixins: {  
            MultiChoiceMixin: "Terrasoft.MultiChoiceMixin"  
        },  
        methods: {  
            init: function() {  
                this.callParent(arguments);  
                this.mixins.MultiChoiceMixin.init.call(this, arguments);  
            },  
            getMultiChoiceEntitiesConfig: function () {  
                const items = {  
                    UsrParticipants: {  
                        mainEntitySchemaName: "ActivityParticipant",  
                        mainColumnName: "Activity",  
                        relatedEntitySchemaName: "Contact",  
                        relatedColumnName: "Participant"  
                    }  
                };  
                return items;  
            },  
        },  
    },  
},
```

```
diff: /**SCHEMA_DIFF*/[  
    {  
        "operation": "insert",  
        "parentName": "Header",  
        "propertyName": "items",  
        "name": "UsrParticipants",  
        "values": {  
            "className": "Terrasoft.MultiChoiceCombobox",  
            "bindTo": "UsrParticipants",  
            "dataValueType": Terrasoft.DataValueType.ENUM,  
            "layout": {"column": 0, "row": 5},  
            "labelConfig": {  
                "caption": "Select participants"  
            }  
        }  
    }  
];/**SCHEMA_DIFF*/  
};  
});
```